

design
manufacture
supply

The preferred window covering
system supplier to the industry.

FOR THE
OUTSIDE

Awnings by Uniline



UNILINE'S STORY.

A Proud Tradition

Established 50 years ago, Uniline has long been synonymous with providing high quality systems, components and fabrics for the wholesale and retail markets, with a large number of our products proudly Australian designed and manufactured. Our head office is located in Queensland, Australia and we also boast an extensive sales and warehousing network throughout Australia and New Zealand, giving us the power to distribute to a national customer base.

Uniline proudly offers the highest levels of innovation, quality and service in everything we do. This is why we endorse every one of our products with the coveted Uniline warranty.

Uniline's Head Office
Yatala, Queensland

Peerless Manufacturing Standard

Over the decades, we have gained a reputation for our impeccable production and service ethic. With production facilities in Australia and New Zealand we manufacture many of our system components and fabric collections.

Each is stringently tested so it can leave the factory bearing our industry leading warranty.

Innovation Excellence

We strive to be leaders in our industry, and to be the best in everything we do, from the products we produce or acquire to the systems and processes we adopt.



WHERE CAN AWNING AND SHUTTER SYSTEMS BE INSTALLED?

The location of awning and shutter systems is the key factor in selecting the style and model of your awning or shutter. Uniline's wide variety means that we have the perfect solution for every location.

When you are choosing a specific awning or shutter the most important factors to consider are its functionality and how the system can be adapted to the requirements of its location and users.


Options include

- Balconies and terraces.
- Windows.
- Patios and pergolas.
- Sliding doors and entrances.
- Pool areas.

Things to Consider

There are several things to consider when choosing the right kind of awning or shutter system for any location:

- The awnings projection when fully opened - this varies and is determined by which system you choose.
- The colour and finishes on your awning. Uniline has an extensive colour range that will compliment the awning's surrounds.
- Choose an awning that can fit your dimensions perfectly to be most effective.
- The weight of the awning is also important, so always ensure you are going to mount it where it does not exceed the load-bearing capacity of the wall.
- Accessibility, including height, especially in high traffic areas.
- The orientation of the sun and how much shade you require.



LEGEND

1. Protéger Wire Guide

2. Protéger Channel Lock

3. Llaza ART 350 Folding Arm Awning

4. Llaza WIN Pro 400 Folding Arm Awning

5. Tru-Style Pivot Arm Awning

6. Side Channel Multi Stop Awning

7. Tru-Style Automatic Roll Up Awnings

8. Tru-Steel Louvre and Canopy Awnings

9. Bermuda Series External Shutters

UNIVIEW OUTDOOR SCREEN FABRIC SECURE YOUR PRIVACY IN CONTEMPORARY FASHION.

Uniview Outdoor is a heavy duty awning fabric by Uniline, that is perfect for external windows and screening off pool and alfresco entertaining areas. Offering unparalleled sun and glare protection, fantastic outward visibility and just enough inward light filtration, whilst offering privacy.

Uniview Outdoor comes in a palette of contemporary colours, carefully selected to match or contrast with external walls and fences. Shades range from light natural tones of sandstone and pebble to the industrially-inspired hues of ebony and slate grey. The 3000mm width offers a range of popular colours catering to wider widths, and the heavier yarn construction provides greater strength and dimensional stability.



Suitable for:

- Protéger Awnings
- Wire Guide
- Tru-Style Automatic Roll Up Awnings
- Straight Drop
- Fixed Guide



5 YEAR
FABRIC
WARRANTY*

Uniline Australia "Uniline" warrants that its window covering materials (fabrics) will be free from defects in materials and workmanship for the stated periods from the date of purchase. For more information please go to www.uniline.com.au

NICE FOR YOU AUTOMATION.

Nice is a major international brand in the home automation market. Nice designs, produces and markets advanced automation systems for blinds and awnings, for both the residential and commercial sectors.

Nice continues to improve our quality of life by simplifying everyday movements, combining technological innovation and design to offer exceptional ease of use. Uniline now offers a Nice motor that is compatible with our unique channel locks. Simply set the bottom limits and the motor does the work for you. Just press down then the motor will lock and self tension. Press up and the motor automatically adjusts down past the lock and then raises the blind up.



TRU-STYLE PIVOT SPRING ARM STANDARD AND PLUS AWNING.

So you want all-day shade without blocking natural light and breezes?

It's yours with the Tru-Style Pivot Arm Awning System from Uniline. Designed to deflect heat and glare while maximising light, ventilation and privacy within the home, Tru-Style Pivot Spring Arm Awnings fits most windows and projects to various lengths. Backed by Uniline's five-year components warranty, both systems come with manual or motorised operation.

The ultimate in 21st century convenience, the motorised system comes with wind and sun sensors that automatically adjust the awning according to weather conditions. No need to rush home if it's blowing a gale – the system will close the awning for you.

THE CHOICE IS YOURS

Tru-Style Pivot Spring Arm Standard Awning

- Caters for widths up to 5.7m, and can project out to 1.2m.
- Tough enough to withstand the elements thanks to its powder-coated cast aluminium body, and 2.5mm diameter spring with a stainless steel cable.

Tru-Style Pivot Spring Arm Plus Awning

- Caters for widths up to 5.7m, and can project out to 1.5m.
- As well as all the features of the Pivot Arm Standard, Plus boasts a 3.2mm diameter spring with a stainless steel cable for greater strength and stability.
- All aluminium extrusions are manufactured with an anodised finish so the parts are protected from the elements and will not corrode.



PROTÉGER WIRE GUIDE AWNING.

Impeccably constructed right down to the smallest detail, the Standard Wire Guide external awning by Uniline.

This is your passport to sleek and modern-looking windows – at an affordable price. Designed for large windows through to patios and balconies, Wire Guide will keep your awnings on track, even in windy conditions.

Architecturally designed stainless steel fittings and cabling suspend and secure the awning. Multiple bracket sizes and glass-filled nylon end caps add extra stability. Choose a Standard Wire Guide awning and you'll enjoy seamless operation, every time, for years to come.

THE CHOICE IS YOURS

- Wire Guide can be face fit or ceiling mounted. Box in a balcony or pergola for year-round shade, or deflect sun from too-hot windows.
- Customise your awning with fabric from the Uniview Outdoor ranges by Uniline.
- All components are corrosion-resistant, ideal for coastal locations.
- Manual, motorised or automated operation available. The automated system comes with wind and sun sensors that automatically adjust the awning according to weather conditions.



PROTÉGER CHANNEL LOCK.

Extensive research, customer feedback and 50 years' industry experience culminate in the Protéger Channel Lock external awning – Uniline's ultimate cover for exposed windows and balconies.

Taking the Wire Guide Protéger system to a whole new level, Channel Lock boasts a patent-pending locking device for greater home security, side-tensioning tracks for increased fabric stability in windy conditions, and unobtrusive side channels to finish the system off.

There is even a "weather strip" that slides into the bottom rail to block chilly drafts when the awning is down, plus "bug strips" that slip into the side channels to help keep creepy crawlies outside where they belong.

And because it's Uniline, you can count on smooth operation, absolute reliability and smart good looks for many years to come.

THE CHOICE IS YOURS

- Magnetic Lock feature simply allows the awning to lock when down and is concealed in the side channel.
- The roller can be easily removed without removing the entire system.
- UV stabilised weather strip slides onto the bottom rail to prevent drafts and moisture when awning is down.
- Manual or motorised operation.
- Corrosion resistant, ideal for coastal conditions.
- The Extreme option can cover an area of 5.8m wide x 3.6m high with the one blind.



LLAZA ART 350 FOLDING ARM AWNINGS.

Create that longed-for outdoor room with the Llaza ART 350 retractable-arm awning. With a maximum projection of 3.5m and a maximum width of 5.8m.

This European design classic is geared to large balconies and terraces. Got an even wider expanse? Add as many sets of arms and awnings as necessary, until your area is fully shaded.

Keeping the look clean and simple, the ART 350 awning sits on a square-shaped, self-supporting bar, eliminating the need for cumbersome (and unattractive) supports underneath. Attach the awning to a wall, or fix it at ceiling height for increased headroom. The choice is yours.

The ART 350's powerful arms, the strongest on the market, retract and fold out with the help of a spring-loaded mechanism.


More durable than alternative chain operations, this advanced system will keep your awning fabric taut and smooth day after day, and will prolong the working life of your awning.

With its stylish good looks, the ART 350 becomes a natural extension of your home. The team at Llaza has worked hard on the aesthetics, concealing visible screws and ensuring all component parts are small and unobtrusive.

The result is an awning that blends in beautifully with its surroundings.

THE CHOICE IS YOURS

- Perfect for larger areas, the ART 350 has a maximum projection of 3.5m and a maximum width of 5.8m. Simply add more awnings to cover a wider area.
- Retracts and folds out via a spring-loaded system that also helps with tensioning for a smooth, taut finish.
- No unattractive supports. The ART 350 sits on a self-supporting square bar, leaving the floor space underneath completely free.
- A beautiful finish – all exterior screws are concealed, and the component parts are small, ensuring the graceful lines of the awning take centre stage.
- The ART 350 components come in "White", "Ebony" and "Silver".
- Manual, motorised or automated operation available. The automated system comes with wind and sun sensors that automatically adjust the awning according to weather conditions.



LLAZA WIN PRO 400 FOLDING ARM AWNINGS.

THE CHOICE IS YOURS

- Clean, compact design folds away neatly when not in use, extending the life span of both the awning mechanism as well as the fabric.
- The arms are powered by a double tensioning transmission system that provides greater strength and durability, and keeps the fabric forever taut.
- Can be attached to the wall or ceiling, depending on your requirements.
- Operation is smooth and precise, based on an internationally patented system that also creates less wear and tear on the awning.
- Motorised or automated operation available. The automated system comes with wind and sun sensors that automatically adjust the awning according to weather conditions.

The elegant Llaza Win Pro 400 folding arm awning represents the latest in design technology.

Stylish, reliable and manufactured to the highest standards, there is nothing rugged or industrial about the Win Pro 400. Its soft curves and clean lines, which cleverly conceal all the nuts and bolts, merge seamlessly with modern building styles.


Even the lacquer on the aluminium frame and components, available in "White", "Ebony" or "Silver", is specially cured for a glossier finish that won't crack or flake.

The Win Pro 400 extends to a maximum projection of 4m, with a maximum width of 7m.

However, the addition of extra brackets and sets of arms can extend the awning to a 12m width. Now that's impressive.

Of course strength and stability is crucial, and you'll find those here too, in the spring-loaded mechanism.

Stronger and more durable than alternative chain operations, this advanced system will keep your awning fabric taut and smooth day after day, and will prolong the working life of your awning.



WIRE GUIDE AWNING.


The Wire Guide Standard is aesthetically appealing and designed for a broad range of applications such as; large windows, patios and balconies.

The Uniline Wire Guide system is available in a choice of manual or auto operation. Auto operation is ideal for hard to access windows. The Wire Guide is impeccably constructed right down to the smallest detail. It features architecturally-designed, highly polished and corrosion-resistant stainless steel fittings and 3.2mm diameter stainless steel cabling which suspends and secures the awning so it's capable of withstanding light to medium-strength winds.

The multiple bracket sizes and glass filled nylon end caps add to the stability of this system.

THE CHOICE IS YOURS

- Uniline's Wire Guide can be face fit or ceiling mounted.
- Stainless Steel bottom bush and brackets.
- Cable is 316 Stainless Steel with a 1 x 19 construction for superior strength.
- Cable is 3.2mm Stainless Steel.
- UV Stablised high grade bottom rail allows for effortless wire guided movement.
- Controlled or motorised crank.
- Corrosion resistant, ideal for coastal conditions.
- Customise with fabric from the Uniview Outdoor ranges by Uniline.
- Available with manual, motorised or automated operation available.



SIDE CHANNEL MULTI STOP AWNINGS.

The Side Channel awning is ideal for residential applications or small commercial jobs. It features multiple stopping points allowing better light and glare control.

The Side Channel awning has a very neat streamlined appearance with no exposed cords, cleats or visible wires. This awning system is top roll and spring operated, with an easy twist lock operation making it a very simple to use and quiet to operate.

The side channels are non intrusive, made from aluminium and come in a variety of powder coated colours to suit any exterior. This system is manual operation only. The Side Channel awning is a cost effective system.

THE CHOICE IS YOURS

- Can be mounted onto the wall surrounding the window (face fit) or set inside the window reveal.
- Side channels come in a variety of powder-coated shades, making it easier to colour-match to your building exterior.
- Multiple “stopping points” allow for better control of light and glare.



TRU-STYLE AUTOMATIC ROLL UP AWNINGS.

Want to shade your windows from direct sunlight, without losing out on fresh air and breezes?

Cue the bestselling Automatic Awning from Uniline. Created for ground floor windows, the slanted

design sits out slightly from the base of the window, inviting breezes while still maintaining optimum privacy and heat protection.

THE CHOICE IS YOURS

- Perfect performance, year after year, thanks to Uniline's mouldings, imported from the engineering industry, and revered for its outstanding strength and longevity.
- Comes with optional Stainless Steel or Gold Passivated fittings – ideal in coastal locations.



TRU-STEEL LOUVRE AND CANOPY AWNINGS.

Australian made Uniline Tru-Steel Louvre and Canopy Awnings are an economical, attractive, and a practical choice to minimise the effects caused by Australia's harsh climate.

Tru-Steel Louvre Awnings are constructed with curved panels which are rigid and corrosion resistant to endure Australia's harsh climate conditions. Available in three variations: standard pitch, closed pitch and adjustable louvres with internal controls.

Tru-Steel Canopy Awnings are produced with a new steel multi-rib cross section, skin panels provide greater strength, wind resistance, and better protection against hail and storm damage. Powder coated components contribute to a long life of Uniline Tru-Steel Canopy Awnings.

Suitable for both domestic and commercial applications, Tru-Steel Canopy Awnings are available in either self supporting or post support types.

THE CHOICE IS YOURS

- Tru-Steel's Superior oven-baked finish resists chipping, peeling or cracking.
- Tru-Steel is made with a Zincalume steel base for anticorrosion, a conversion layer and epoxy primer to enhance coating adhesion.



Tru-Style and Tru-Steel Awnings are compatible with the following colour range:



Uniline Australia "Uniline" warrants that its components will be free from defects in materials and workmanship for the stated periods from the date of purchase. For more information please go to www.uniline.com.au

Available in 15 Different colours.
Contact Uniline for a swatch.



UNILINE GENERAL WARRANTY DOCUMENT.

Uniline Australia "Uniline" warrants that its window covering materials (fabrics) and components listed below will be free from defects in materials and workmanship for the stated periods from the date of purchase, subject to the provisions of this warranty, provided they were purchased after 1st January 2014 and were:

1. Supplied by Uniline Australia.
2. Manufactured by an accredited Uniline Manufacturer.
3. Sold by an accredited Uniline Reseller.
4. Professionally installed by an accredited Uniline Installer and according to Uniline installation standard procedures.
5. The entire system supplied to the consumer is a Uniline system and not parts thereof.

This warranty is limited to the repair or replacement of the defective materials and components. Repairs will be made with like or similar parts. Uniline reserves the right to discharge its obligations under this warranty by refunding the original purchase price of the defective materials or components.

Uniline reserve the right to separate the warranty, into the following four (4) categories:

1. * Hardware Component Systems – (5 Years) - A Uniline window furnishing will be made up of a number of hardware components, known as a system. Uniline reserves the right to refuse any warranty if parts of the system are not made up of genuine Uniline components.
2. Uniline Window Covering Materials (Fabrics) – (5 to 10 Years) - Uniline will warrant any window covering material which is manufactured or supplied by Uniline Australia limited for the stated warranty period.
3. Uniline accredited Motorisation – (5 Years) - Uniline will warrant any gearing mechanism or motorisation mechanism which has been supplied, tested and accredited by Uniline. These include:
 - a. Geiger gearboxes
 - b. NICE Motors

If a consumer chooses to select only part of the Uniline system, eg: a Uniline Cassia Rollbox System, but chooses another supplier's fabric, Uniline will warrant the Uniline part of the system under the standard warranty conditions of that particular part.

This Warranty Excludes:

Any condition or damage relating to, or resulting from, accidents, alterations, discoloration or fading over time, misuse, abuse, normal wear and tear, removal and/or reinstallation, failure to follow the installation or use instructions of Uniline, or force majeure including, without limitation, storm, fire, floods, cyclone's, standing water, explosions, earthquakes, vandalism, riots, acts of war, pollutants, acts of God or other occurrences beyond the control of Uniline. Installations subject to salt spray or marine influences, severe industrial or corrosive environments or internal situations subject to moisture laden air.

Shipping charges and costs for removing, disassembling, reassembling and reinstalling the materials or components.

Special Conditions

* 100% Uniline supplied components includes tubes, gearboxes, drive adapters, motor adapters, idle ends, pivot plate and pins, splines and any other specific components that are sold by Uniline.

All methods, allowances and specifications must follow the information provided in the manufacturing and installations guides as provided by Uniline.

All sizes and installations must fall within the guidelines provided by the product specification document.

Failure to adhere to any of the above clauses will result in the voiding of all warranties.

Products Included Under this Warranty:

1. Uniline Cassia Channel System
2. Uniline Cassia Wire-Guide System
3. Uniline Fabric as shown in point of sale.
4. Any product included and advertised in the Cassia Retail Brochure.

Interpretation

This warranty shall be interpreted and applied subject to the operation of any statute applicable in Australia, the terms of which cannot be excluded by the parties, including (if applicable) relevant provisions of the Trade Practices Amendment (Australian Consumer Law) Act (No. 1) 2010 and similar State legislation. With the exception of the matters outlined in this document, all other implied terms, warranties, conditions and consequences are excluded.

Warranty Claims

Warranty claims must be made as soon as possible after discovery of the defect and, in any event, within the warranty period. Warranty claims must be accompanied by proof of payment of the full purchase price by the original purchaser.

Warranty Process

Contact the place of purchase or take the product back to the place of purchase. The place of purchase must be an accredited Uniline supplier.

Proof of purchase (a copy of the tax receipt detailing the date of the purchase, the product purchased & the place of purchase) from an accredited Uniline reseller is required for all warranty claims.

All accredited Uniline resellers can be viewed on the Uniline website at www.uniline.com.au



CONTACT UNILINE TODAY FOR A MANUFACTURER NEAR YOU!

IT'S YOUR CHOICE.

The preferred window covering system supplier to the industry.

Australia +61 7 3804 9000 | info@uniline.com.au | uniline.com.au

New Zealand +64 9 273 5026 | salesnz@uniline.com.au | uniline.co.nz

