



*Protéger*<sup>®</sup>

THE NEXT GENERATION IN  
AWNING SOLUTIONS



[uniline.com.au](http://uniline.com.au)



### A Proud Tradition

Established over 40 years ago, Uniline has long been synonymous with providing high quality systems, components and fabrics for the wholesale and retail markets, with a large number of our products proudly Australian designed and manufactured. Our head office is located in Queensland, Australia and we also boast an extensive sales and warehousing network throughout Australia and New Zealand, giving us the power to distribute to a national customer base. Uniline proudly offers the highest levels of innovation, quality and service in everything we do. This is why we endorse every one of our products with the coveted Uniline warranty.

### Peerless Manufacturing Standard

Over the decades, we have gained a reputation for our impeccable production ethic. With production facilities in Australia and New Zealand we manufacture many of our system components and fabric collections. Each is stringently tested so it can leave the factory bearing our industry leading warranty.

### Innovation Excellence

We strive to be leaders in our industry, and to be the best in everything we do, from the products we produce or acquire to the systems and processes we adopt.

## Interior Products




Roller Blinds



Venetian Blinds



Vertical Blinds



Roman Blinds



Glissade Panel Blinds



Interior Shutters

## Exterior Products



Automatic Roll Up Awnings



Prot ger: Channel Lock & Wire Guide



Folding Arm Awnings




Archline Spring Arm Awnings



Exterior Shutters



*Protéger sets the standard in the next generation of external awnings and blinds.*



Protéger is an exciting external awning range by Uniline, available in either a Wire Guide system or Channel Lock system. Protéger's modern compact design has been developed with specific emphasis on ease of installation, with maximum assembly in the factory thereby providing minimal on-site handling by installers. The unique patented Protéger features have been developed by Uniline's in house R&D team in close consultation with both trade and retail customers across Australia and New Zealand.

Protéger's modern compact design is available in either manual or motorised operation, allowing full compatibility with home automation systems. The streamlined modern design of the Protéger cassette encloses the entire awning mechanism and is common to both systems. The aesthetically pleasing powder coated finishes, brushed anodised rails and highly polished stainless steel fittings meet today's design needs.

## Protéger<sup>®</sup> By Uniline

### Wire Guide or Channel Lock Standard & Xtreme

- Sun Protection
- Glare Protection
- Bug Protection
- Operational Reliability
- Breeze Protection
- Built to Last
- Low Maintenance
- Gearbox operation or Motorised
- Patented Magnetic Auto Lock
- Designed & Manufactured in Australia for Australian conditions

#### Protéger Xtreme

Everything the standard Protéger offers, with the added benefit of being able to extend to widths of up to 5.8 metres.

Protéger achieves a balance between modern design, solid construction and operational reliability.

# PROTÉGER Wire Guide



For sun-soaked patios, terraces and windows, it has got to be the Protéger Wire Guide external awning – a sleek and reliable solution to excessive heat and glare.

A self-aligning system, the 'wire' refers to the cables that guide the awning up and down for beautifully controlled movement and greater stability. Put simply, the Protéger Wire Guide keeps your awnings on track – even on windy days.

Protéger Wire Guide also features an aluminium 'cassette' to house the awning mechanism, resulting in a more streamlined look for your windows. The cassette cleverly hides the awning motor, serving the dual purpose of protecting and extending the life of your awning fabric when it's rolled up and out of use.

- The brushed anodised rails and polished stainless steel fittings further enhance Protéger's thoroughly modern finish.
- Can be attached to a wall or ceiling mounted, ensuring smart looks for any window, balcony or outdoor area.
- Protéger Wire Guide is suitable for patio sun protection or as an external blind for windows. This system features the already proven, highly polished corrosion resistant fittings, including stainless steel bottom bush and brackets, plus 3.2mm stainless steel cables.



## Self Align:

The powder coated aluminium top bush allows for the cables to self align.

## UV Stabilised:

The high grade nylon UV stabilised bottom rail end caps allow effortless wire guide movement.

## Operation:

Can be manual, with 2 different gear ratios available, or motorised.

## Durability:

The cable is Marine Grade Stainless Steel with a 1 x 19 construction for superior strength and clean finish.

## Security:

The extruded aluminium clear anodised bottom rail is available in up to 5.8m lengths and can be secured by straps or clips which integrate into the bottom rail.

# PROTÉGER Channel Lock



The ultimate cover for exposed windows and balconies.

Taking the Protéger Wire Guide system to a whole new level, the Protéger Channel Lock boasts a patented magnetic locking device for greater home security, side-tensioning tracks for increased fabric stability in windy conditions, and unobtrusive side channels to finish the system off.

There is also a 'weather strip' that slides into the bottom rail to block chilly drafts when the awning is down, plus 'bug strips' that slip into the side channels to help keep creepy crawlies outside, where they belong.

- The magnetic lock feature allows the awning to lock simply when down and is concealed in the side channel.
- Weather strip slides onto the bottom rail to prevent drafts and moisture when awning is down.
- Manual or Motorised operation.
- Corrosion resistant, ideal for coastal conditions.



## Unique to Channel Lock:

### Patented Magnetic Auto Lock

The auto magnetic feature simply allows the awning to lock when wound down, and is concealed within the side channel extrusion.

### Two piece channel

Aluminium profiles clip into one another to simplify the installation and eliminate any visible fixing holes or the need for screw cap covers.

### UV PVC

Extruded side-tensioning tracks self position, providing great stability for the fabric during moderate to windy conditions whilst delivering a stylish streamlined finish. The side track design absorbs the shock caused by the fabric movement in windy conditions.

### Awning take up spool

Accommodates the zipper, reducing the diameter on the top tube when rolled up. This allows for a compact box design and discreet appearance.

### Comfort

UV stabilised weather seal strip easily slides into the bottom rail profile to prevent drafts when the awning is down. Bug strips can also slide into the two piece side channel, providing additional sealing.

# PROTÉGER CASSETTE



Protéger's cassette comes in two sizes. Standard for up to 4.4 metres wide, with up to a 2.6 metre height, or the Xtreme for a larger areas of up to 5.8 metres wide and a maximum height of 3.6 metres.

Multiple fixing options allows the product to be installed almost anywhere.

Our standard colour range offers 4 popular colours:




EBONY



WHITE



SMOOTH  
CREAM



PRECIOUS SILVER  
PEARL



Modern Design  
Meeting Market Needs



Solid Construction  
Built to Last



Operational Reliability  
Experience

# MOTORISATION



A high-tech click  
Era-P

Advanced design and cutting edge functions for sun protection systems. Manages up to 6 automation groups, even with separate activation of weather sensors.



An easy click  
Era-Mini Way

Miniaturised transmitters for the intuitive control of sun protection systems. Quick and easy to use thanks to dedicated buttons for directly controlling blinds and shutters.



Maximum Integration  
Era Touch

The wireless touch screen unit for controlling Nice automation systems. Intuitive graphic display, vocal guide, weekly timer programmer and more.


# FABRICS FOR PROTÉGER

## Uniview Outdoor - Protéger

Uniview Outdoor is a heavy duty awning fabric that's perfect for external windows and screening off pool and alfresco entertaining areas. It offers unparalleled sun and glare protection, fantastic outward visibility and just enough inward light filtration; offering a mid to high-level of privacy from the outside world during the day.



The above product range has limited stock availability while stocks last.  
Product will be replaced by the colour range below on a run out basis



# Uniline General Warranty Document

Uniline Australia "Uniline" warrants that its window covering materials (fabrics) and components listed below will be free from defects in materials and workmanship for the stated periods from the date of purchase, subject to the provisions of this warranty, provided they were purchased after 1st January 2014 and were:

1. Supplied by Uniline Australia; and
2. Manufactured by an accredited Uniline Manufacturer; and
3. Sold by an accredited Uniline Reseller; and
4. Professionally installed by an accredited Uniline Installer and according to Uniline installation standard procedures; and
5. The entire system supplied to the consumer is a Uniline system and not parts thereof.

This warranty is limited to the repair or replacement of the defective materials and components. Repairs will be made with like or similar parts. Uniline reserves the right to discharge its obligations under this warranty by refunding the original purchase price of the defective materials or components.

Uniline reserve the right to separate the warranty, into the following four (4) categories:

1. \* Hardware Component Systems - (5 Years) - A Uniline window furnishing will be made up of a number of hardware components, known as a system. Uniline reserves the right to refuse any warranty if parts of the system are not made up of genuine Uniline components.
2. Uniline Window Covering Materials (Fabrics) - (5 to 10 Years) - Uniline will warrant any window covering material which is manufactured or supplied by Uniline Australia limited for the stated warranty period.
3. Uniline accredited Motorisation - (5 Years) - Uniline will warrant any gearing mechanism or motorisation mechanism which has been supplied, tested and accredited by Uniline. These include:
  - a. Geiger gearboxes
  - b. NICE Motors

If a consumer chooses to select only part of the Uniline system, eg, a Uniline Protéger Channel Lock System, but chooses another supplier's fabric, Uniline will warrant the Uniline part of the system under the standard warranty conditions of that particular part.

## This Warranty Excludes:

Any condition or damage relating to, or resulting from, accidents, alterations, discoloration or fading over time, misuse, abuse, normal wear and tear, removal and/or reinstallation, failure to follow the installation or use instructions of Uniline, or force majeure including, without limitation, storm, fire, floods, cyclone's, standing water, explosions, earthquakes, vandalism, riots, acts of war, pollutants, acts of God or other occurrences beyond the control of Uniline. New line installations subject to salt spray or marine influences, severe industrial or corrosive environments or internal situations subject to moisture laden air.

Shipping charges and costs for removing, disassembling, reassembling and reinstalling the materials or components.

## Special Conditions

\* 100% Uniline supplied components includes tubes, gearboxes, drive adapters, motor adapters, idle ends, pivot plate and pins, splines and any other specific components that are sold by Uniline.

All methods, allowances and specifications must follow the information provided in the manufacturing and installations guides as provided by Uniline.

All sizes and installations must fall within the guidelines provided by the product specification document.

Failure to adhere to any of the above clauses will result in the voiding of all warranties.

## Products Included Under this Warranty:

1. Uniline Protéger and Protéger Xtreme Channel Lock System
2. Uniline Protéger and Protéger Xtreme Wire - Guide System
3. Uniline Uniview Outdoor Fabric.
4. Unishade Outdoor Fabric.
5. Any product included and advertised in the Protéger Retail Brochure.

## Interpretation

This warranty shall be interpreted and applied subject to the operation of any statute applicable in Australia, the terms of which cannot be excluded by the parties, including (if applicable) relevant provisions of the Trade Practices Amendment (Australian Consumer Law) Act (No. 1) 2010 and similar State legislation. With the exception of the matters outlined in this document, all other implied terms, warranties, conditions and consequences are excluded.

## Warranty Claims

Warranty claims must be made as soon as possible after discovery of the defect and, in any event, within the warranty period.

Warranty claims must be accompanied by proof of payment of the full purchase price by the original purchaser.

## Warranty Process

Contact the place of purchase or take the product back to the place of purchase. The place of purchase must be an accredited Uniline supplier.

Proof of purchase (a copy of the tax receipt detailing the date of the purchase, the product purchased & the place of purchase) from an accredited Uniline reseller is required for all warranty claims.

All accredited Uniline resellers can be viewed on the Uniline website at [www.uniline.com.au](http://www.uniline.com.au)