Your Uniline products have been carefully crafted with the finest materials to ensure a long, trouble-free life. By following these instructions for product care, you can keep your Uniline products looking and working like new for years to come.

UNILINE GUARANTEE





Uniline guarantee that your quality Uniline product will be free from defects in componentry for a period of five (5) years from the date of purchase and between two (2) and ten (10) years on fabrics.

Our goods come with guarantees that cannot be excluded under the Australian Consumer Law. You are entitled to a replacement or refund for a major failure and for compensation for any other reasonably foreseeable loss or damage. You are also entitled to have the goods repaired or replaced if the goods fail to be of acceptable quality and the failure does not amount to a majorfailure.

The Guarantee does not cover defects or damage caused by accidents, alterations, misuse, abuse, motorised devices, wear and tear or failure to follow our instructions with respect to cleaning or maintenance. Under the Guarantee the Uniline Manufacturer shall not be liable or responsible for incidental or consequential damages or for any other direct or indirect damage, loss, cost, expenseor fee.

The benefits conferred by this Guarantee are in addition to all other rights and services which the purchaser has under Australian Consumer Law and similar state and territory laws.

Please note: Stainless steel components are available and recommended for coastal applications.

*The life of the fabric guarantee is dependent upon the type of fabric purchased. Details of the applicable life of the guarantee for each fabric can be found by visiting our website www.uniline.com.au and following the links to fabrics.

Please complete the information on this card and return promptly to help us validate your registration.

First name:	Initial:
Last name:	
For all and discourse	
Email address:	
Street address:	
Suburb:	
State:	Postcode:
State:	Postcode:
	Postcode:
State: Telephone Number:	Postcode:
Telephone Number:	Postcode:
	Postcode:
Telephone Number:	Postcode:
Telephone Number:	Postcode:
Telephone Number: Purchased from (company name):	Postcode:
Telephone Number: Purchased from (company name):	Postcode:
Telephone Number: Purchased from (company name): Installed by:	Postcode:

Please contact the company that your product was purchased from should you have a warranty issue.

PRIVASEE® VENETIAN BLIND SYSTEMS

Privasee Venetian Blind Systems

Before raising the blinds, always ensure that the slats are titled fully open and, where fitted, bottom rail retaining brackets are released. When opening the window behind the blind, always raise the blind first. Pushing your hand through the slats only causes unnecessary damage to the slats.

Cleaning

Keeping your blind clean is as easy as using a feather duster once a week. When it's time for spring cleaning, the blind can be removed from the brackets and hung from your clothesline to be washed with a mild detergent and warm water. Make sure your blind is dry before refitting.

VERTICAL BLINDS & GLISSADE PANEL GLIDE SYSTEM

Vertical Operation

Rotate Vertical blades to a fully open position before operating the blind across the window.

Glissade Operation

Open and close the panels by sliding the wand across the track.

Cleaning the Systems

Vertical Blinds and Glissade Panel Glide Systems should be maintained by keeping the tracks free from dust and pollutants. Once a month a general spray to the moving parts using the Uniline Silicone Spray is advised to maintain smooth operation.

Cleaning the Fabrics

See fabric care instructions.

ROLLER & ROMAN BLINDS

Roller & Roman Operation

How to tension the Roller or Roman Blind if the blind has insufficient tension:

- Roll the blind completely down and remove the blind from the brackets.
- 2. Re-roll the blind 2 or 3 turns by hand.
- **3.** Replace the blind and check if sufficient tension has been applied. If not, repeat the procedure.

Cleaning the Fabrics

See fabric care instructions.

UNILINE FABRIC AWNING SYSTEMS

Cleaning

Fabric Awnings should be cleaned and maintained by keeping them free from cobwebs and dust.

Gently hose, using neutral soap and water when necessary. Never roll up wet.

TRU-STEEL AWNINGS

Maintain Colourbond® and Zincalume® Steel

Areas not regularly washed by rainwater should be hosed down at least every six months, or monthly in coastal or industrial areas.

In cases where the regular maintenance referred to above does not remove all dirt, wash the surface with a mild solution of pure soap or mild non-abrasive kitchen detergent in warm water. Application should be with a sponge, soft cloth or soft bristle nylon brush, and should be gentle to prevent shiny spots.

The Colourbond® and Zincalume® steel should be thoroughly rinsed with clean water.

Never use abrasive or solvent type cleaners.

FABRIC CARE INSTRUCTIONS*

FABRIC TYPE	CARE CODE	CARE INSTRUCTIONS
Interior Vertical/Roller Blockout/ Sunscreen Fabrics	CARE	Remove surface dust by regularly dusting with a feather duster or soft cloth. Stains or smudges can be removed by wiping with a sponge soaked in lukewarm water containing a little neutral soap and then sponged with fresh water and dried gently with a clean towel. Small marks can be removed by a light rub with an art gum rubber. Never use abrasive or solvent based cleaners, and never roll up a blind which is damp.
Interior Translucent/ Interior Roman Fabrics	2 CARE CODE	Remove surface dust by regularly dusting with a feather duster or soft cloth. Stains or smudges can be removed with a soft sponge dampened with lukewarm water containing a little neutral soap or mild detergent, (the sponge should be squeezed almost dry). Never use abrasive or solvent based cleaners, and never roll up a blind which is damp.
Exterior Sunscreen Fabrics	CARE CODE	Regularly use a soft brush to remove dirt and cobwebs. Hose, using neutral soap or mild detergent and water when necessary, then rinse off with clean water. Never use abrasive or solvent based cleaners, and never roll up a blind which is wet.

Delivery Address: PO Box 6188 YATALA DC QLD 4207

MAINTENANCE CARE GUIDE & WARRANTY CARD

Uniline Australia Limited Reply Paid 6188 YATALA DC QLD 4207

